USSN - 10/807,115

Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

- 1 (original). An isolated or non-naturally occurring DNA construct, the nucleic acid sequence of which comprises (I) a coding sequence coding for an expressible protein which is (a) a pre-prochymosin, prochymosin, or chymosin of a mammal of the suborder Tylopoda or (b) a fusion protein comprising a core protein, wherein said fusion protein is cleavable to release said core protein and wherein said core protein is such a pre-prochymosin, prochymosin or chymosin; and
- (II) appropriate expression signals, operably linked to said coding sequence, permitting the protein to be expressed in a host cell.
- 2 (original). The DNA construct of claim 1 in which the mammal is of the genus Camelus.
- 3 (original). The DNA construct of claim 1 in which the mammal is Camelus dromedaries.
- 4 (original). A host cell transferred with the DNA construct of claim 1, said cell being one in which said expression signals are operable.
- 5 (original). A method of producing a Tylopoda protein of interest selected from the group consisting of pre-prochymosin, prochymosin, and chymosin which comprises

providing a host cell according to claim 4,

cultivating said host cell under conditions where said expressible protein is expressed,

if said expressible protein is a fusion protein, cleaving it to release said protein of interest, and

harvesting the protein of interest.

USSN - 10/807,115

- 6 (original). The method of claim 5 wherein the preprochymosin, prochymosin or chymosin is a *Camelus dromedaries* protein.
- 7 (original). The method of claim 5 wherein the nucleic acid sequence codes for a fusion protein comprising preprochymosin, prochymosin or chymosin.
- 8 (original). The method of claim 7 wherein the fusion protein comprises glucoamylase or a fragment thereof.
- 9 (original). The method of claim 5 wherein the preprochymosin, prochymosin, chymosin, or fusion protein is secreted over the host cell membrane.
- 10 (original). The method of claim 5 wherein the DNA construct is identical to pGAMpR except that said DNA construct comprises a different coding sequence.
- 11 (currently amended). The method of claim 10 5 wherein the DNA construct is pGAMpR-C as contained in the Aspergillus niger var. awamori strains deposited under the accession numbers CBS 108915 and CBS 108916.
- 12 (original). The method of claim 5 wherein the transformed host cell is selected from the group consisting of a bacterial cell, a fungal cell, a yeast cell, a mammalian cell, an insect cell and a plant cell.
- 13 (original). The method of claim 12 wherein the host cell is Aspergillus niger var. awamori.
- 14 (original). The method of claim 13 wherein the Aspergillus niger var. awamori host cell is selected from the group consisting of CBS 108915 and CBS 108916.
- 15 (original). The method of claim 5 wherein the yield of pre-prochymosin, prochymosin or chymosin milk clotting activity is at least 25 % higher than the yield of bovine pre-prochymosin, bovine prochymosin or bovine chymosin milk clotting activity obtained when using, under identical production conditions, an expression vector which differs only with respect to its coding sequence.
 - 16 (original). The method of claim 5 comprising, as a

USSN - 10/807,115

further step, that the harvested pre-prochymosin, prochymosin or chymosin is subjected to a deglycosylation treatment.

- 17 (original). The method of claim 5 wherein the host cell is a cell expressing a deglycosylating enzyme.
- 18 (original). The method of claim 17 wherein the deglycosylating enzyme is endoH.
- 19 (original). The method of claim 5 in which the mammal is of the genus *Camelus*.